



SCRUBBER DRIERS - WALK BEHIND

CT70

MAX PRODUCTIVITY

3150 m²/h

**BATTERIES
RUNNING TIME**

2,5 h

**WATER TANK
RUNNING TIME**

60'
working session



ONE BRUSH VERSION



ROLLER VERSION



BATTERIES AND BATTERY CHARGER NOT INCLUDED

MOST FREQUENTLY USE



INNOVATIONS



DBL™
DOUBLE
BATTERY
LIFE



ECS™
ECO COST
CLEANING
SOLUTION



SLS™
SELF
LEVELING
SYSTEM



BACTERIA
CONTROL

SPECS



INTUITIVE CONTROL PANEL



SEPARATE DETERGENT
DOSING SYSTEM. (OPTIONAL)



ANTI-FOAM SYSTEM WITH
SPECIAL ELECTROMECHANICAL
SUCTION MOTOR PROTECTION

TECHNICAL DATA

		CT70 B55	CT70 BT55	CT70 BT60	CT70 BT70	CT70 BT85	CT70 BT55 R	CT70 BT70 ECS
Code		LPTB01414	LPTB01416	LPTB01417	LPTB01418	LPTB01419	LPTB01420	LPTB02379
PERFORMANCE								
Max theoretical productivity	m ² /h	1925	2475	2700	3150	3825	2475	3150 (5 times higher)
Cleaning path	mm	550	550	600	700	850	550	700
Water tank capacity (solution recovery)	l	70/75	70/75	70/75	70/75	70/75	70/75	70/75
Max running time	min	78	78	78	78	78	78	78
Voltage	V-Ah	24(2x12) - 105 GEL	24(2x12) - 105 GEL	24(2x12) - 105 GEL	24(2x12) - 105 GEL	24(2x12) - 105 GEL	24(2x12) - 105 GEL	24(2x12) - 105 GEL
Installed power	W	480	480	480	480	480	480	480
Brush pressure	kg	18,5	18,5	30,5	31,5	31,5	13,6/18,6	15-37
Squeegee width	mm	815	815	815	1010	1010	815	1010
Max speed	km/h	3,5	4,5	4,5	4,5	4,5	4,5	4,5
Weight	kg	85,5	91,5	93,7	94,5	95	100,2	94,5
Dimension (LxWxH)	mm	1230x587x960	1230x587x960	1210x680x960	1220x748x960	1260x893x960	1260x893x960	1220x748x1140

STANDARD EQUIPMENT

	CT70 B55	CT70 BT55	CT70 BT60	CT70 BT70	CT70 BT85	CT70 BT55 R	CT70 BT70 ECS
BRUSHES							
PPL SOFT	SPPV01505	SPPV01505	2XSPPV01473	2xSPPV01472	2xSPPV01516	-	2xSPPV01481
CYLINDRICAL BRUSH - PPL SOFT Ø 0,3 mm	-	-	-	-	-	SPPV01163	-
PAD HOLDER	-	-	-	-	-	-	2xSPPV01268
SQUEEGEE BLADES							
LATEX FRONT BLADE	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08040 - 1020mm	MPVR08040 - 1020mm	MPVR08039 - 880mm	MPVR08040 - 1020mm
LATEX REAR BLADE	MPVR08035 - 900mm	MPVR08035 - 900mm	MPVR08035 - 900mm	MPVR08036 - 1020mm	MPVR08036 - 1020mm	MPVR08035 - 900mm	MPVR08036 - 1020mm

CONSUMABLES (Codes available on price list)

BRUSHES



CYLINDRICAL BRUSHES



PADS/SUPER PADS



SQUEEGEE BLADES



OPTIONAL ACCESSORIES

CODE: KTRI01763
CHEM DOSE KIT



CODE: MPVR05611
SPLASH GUARD



CODE: KTRI01573
DISCHARGE HOSE



CODE: KTRI01870
SOLUTION TANK DRAIN
AND LEVEL HOSE KIT



CODE: KTRI02257
EXTERNAL SUCTION KIT



CODE: KTRI02274
ACCESSORIES
SUPPORT KIT

PICTURE
NOT
AVAILABLE

CODE: PRCH00578
BIOSAN RAPIDE WT
(30PCS/30DAYS)



BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00105	2	12V 105 Ah [C5]	345x170x285	150 min	On board battery charger 24V 10 Ah- KTRI01703 Stand alone high frequency BLS010 - BACA00133
EXIDE gel battery BAAC00024	2	12V 105 Ah [C5]	345x174x283	150 min	On board battery charger 24V 10 Ah- KTRI01703 Stand alone high frequency BLS010 - BACA00133
Acid tubolar plate BAAC00136	2	12V 85 Ah [C5]	308x175x225	160 min	On board battery charger 24V 10 Ah- KTRI01703 Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 24V 12 Ah BACA00060
Dry charge flate plate BAAC00009	2	12V 105 Ah [C5]	261x171x210	160 min	On board battery charger 24V 10 Ah- KTRI01703 Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 24V 12 Ah BACA00060
Acid tubolar plate BAAC00070	2	12V 118 Ah [C5]	345x170x285	160 min	On board battery charger 24V 10 Ah- KTRI01703 Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 24V 12 Ah BACA00060

RECOMMENDED BATTERIES AND BATTERY CHARGERS